

RADWIN Indoor Unit

Indoor DC PoE device - Data Sheet

NO PICTURE AVAILABLE

RW-9921-2059

Product Description

Indoor DC POE device for RADWIN radios, with GBE interface, supports input power range 10-60VDC.

Product Highlights

- High power single port injector
- GBE compatible
- Power LED indication
- Full over current/voltage protections
- Non-vented case

Product Specifications:

ELECTRICAL	
Input Voltage	10-60VDC
Input Current	10 to 60 VDC
Max. In-rush current	80A
DC Output Voltage	55VDC
Environmental	
Operating Temperatures	-40°C to +70°C (-40°F to 158°F)
IP Rating	Indoor
Humidity	0.95
Safety	
ETSI	IEC 60950-1
USA	UL 60950-1, CAN/CSA-C22.2 No.60950-1
UL	
EMC	
ETSI	EN 55022 Class B, EN 55024
FCC	FCC part 15 Subpart B Class B
Mechanical	
Case	Plastic
Dimensions	17(w) x 7(h) x 4.5(d) cm
Weight	0.292 kg / 0.64 lbs (without mounting kit)
Mounting kit	N/A
Interfaces	
PoE/ODU output	RJ45 GBE
Ethernet input	RJ45 GBE
Power cable	Terminal Block 3 pin

Ordering Info

Part Number: RW-9921-2059

Description: Indoor DC POE device for RADWIN's radios, with GBE interface, supports power range of 10-60VDC.